

## Product List

Call 13 11 37


ring for pricing

or get a quote online



*Your complete edging solution, over 800kms sold to happy customers Australia wide!*

Exclusive FormBoss™ Safety Lip.  
Ideal for parks and public spaces, and  
completely safe for children and pets.



We include FREE smart  
connectors and  
self drilling  
screws with  
every order!



### Why choose FormBoss™ Metal Garden Edging?

- **Elegant**
- **Shapeable**
- **Strong**
- **Durable**
- **Safe**
- **Applications**
- **Choice**
- **Value**
- **Easy**

A seamless line with virtually invisible joins, hidden connectors and stakes.  
Create any shapes you want, intricate curves, tight bends to endless straights.  
Stronger than aluminium and traditional edging. Flexible prior to installation.  
Steel does not crack, split, rot or dent, guaranteed to last for at least 10 years.  
The rolled top hides the connectors and stakes, so you can't injure yourself.  
Suitable for footpaths, driveways, retaining walls, garden beds and steps.  
Available in three finishes, eight different heights and three gauges.  
Cheaper than plate steel, aluminium or concrete edging.  
Anyone can install **FormBoss™** steel edging!

### Galvanised FormBoss™ Edging Systems: The original, durable & affordable.

**Description:** Durable hot dip galvanising protects the inner steel from corrosion. It is cold rolled to stand up to harsh conditions for long periods.

**Appearance:** Galvanised steel appears metallic with spangles. The shine does dull down over time, leaving a more matte grey.

**Expected Lifespan:** 15-40 years, lifespan is highly dependent on external conditions, including drainage, application and existing soil conditions.

**Structural Guarantee:** 10 years

**Steel Origin:** Bluescope Steel, Australia

**Manufactured In:** Melbourne

**Benefits:** You can paint Galvanised steel any colour you like. Visit our website for tips and tricks.

### GALVANISED Applications


Item Code	1.6mm gauge standard to suit most applications of garden edging with low traffic Supplied with Galv tek screws & 1 connector per length
FBG16075	FormBoss™ 1.6mm x 75mm GALV ~ rounded top edge 5.5mm Ø (x2 screws)
FBG16100	FormBoss™ 1.6mm x 100mm GALV ~ rounded top edge 5.5mm Ø (x2 screws)
FBG16150	FormBoss™ 1.6mm x 150mm GALV ~ rounded top edge 5.5mm Ø (x2 screws)
FBG16185	FormBoss™ 1.6mm x 185mm GALV ~ rounded top edge 5.5mm Ø (x2 screws)
Item Code	2.0mm gauge to suit commercial applications or long straight lines with moderate traffic Supplied with Galv tek screws & 1 connector per length
FBG20100	FormBoss™ 2.0mm x 100mm GALV ~ rounded top edge 6.5mm Ø (x2 screws)
FBG20150	FormBoss™ 2.0mm x 150mm GALV ~ rounded top edge 6.5mm Ø (x2 screws)
FBG20185	FormBoss™ 2.0mm x 185mm GALV ~ rounded top edge 6.5mm Ø (x2 screws)
FBG20230	FormBoss™ 2.0mm x 230mm GALV ~ rounded top edge 6.5mm Ø (x4 screws)
FBG20290	FormBoss™ 2.0mm x 290mm GALV ~ rounded top edge 6.5mm Ø (x4 screws)
FBG20390	FormBoss™ 2.0mm x 390mm GALV ~ rounded top edge 6.5mm Ø (x4 screws)
FBG20580	FormBoss™ 2.0mm x 580mm GALV ~ rounded top edge 6.5mm Ø (x4 screws)
Item Code	2.5mm gauge to suit commercial applications or long straight lines, driveways with high traffic Supplied with Galv tek screws & 1 connector per length
FBG25100	FormBoss™ 2.5mm x 100mm GALV ~ rounded top edge 7.5mm Ø (x2 screws)
FBG25150	FormBoss™ 2.5mm x 150mm GALV ~ rounded top edge 7.5mm Ø (x2 screws)
Item Code	2.5mm gauge stakes (recommended x 3 stakes per 2.44m length) Use with standard installations (for 75mm-185mm edging profiles) Supplied with Galv tek screws
FBS25240	FormBoss™ 2.5mm x 240mm long x 72mm wide tapered stakes GALV (x1 screw)
FBS25300	FormBoss™ 2.5mm x 300mm long x 72mm wide tapered stakes GALV (x1 screw)
FBS25400	FormBoss™ 2.5mm x 400mm long x 72mm wide tapered stakes GALV (x1 screw)



For more information on our landscape edging systems, please refer to the website.

[www.formboss.com.au](http://www.formboss.com.au)





# FormBoss™

## STEEL GARDEN EDGING

**ZAM® FormBoss™ Edging Systems: Self-healing corrosion proof steel. 15 year guarantee!**

**Description:** Incredibly durable, it was designed for extremely high corrosive environments. Patented zinc, magnesium and aluminium alloy coating. Developed by a large Japanese corrosion research team and tested by the French corrosion institute, ZAM® was engineered for the automotive industry and designed for countries with the harshest weather conditions. In tests conducted by the French corrosion's institute, ZAM® has been shown to dramatically out perform Galvanised steel in highly corrosive situations like marinas, boat sheds, industrial environments, even pool and spa areas. What this means is ZAM®'s satin like finish gives a much brighter cleaner look compared to galvanised steels 'mottled look'. The finish will last for many years to come and look as stunning as the day you installed it, adding value and aesthetic appeal.

**Appearance:** ZAM® steel appears silver like the galvanised edging, but without the spangle. It is a shinier silver look with a raindrop texture.

**Expected Lifespan:** 15-40+ years. Lifespan is highly dependent on external conditions, including drainage, application and existing soil conditions.

**Structural Guarantee:** 15 years.

**Steel Origin:** Nisshin Steel, Japan.

**Manufactured In:** Melbourne

**Benefits:** Ultimate durability, surpassed only by Stainless steel, yet ZAM® is much more affordable. Great scratch resistance and self-healing.

*ZAM® steel edging*




	<b>ZAM® Applications</b>
<b>Item Code</b>	<b>2.0mm gauge to suit commercial applications or long straight lines.</b> Supplied with Galv tek screws & 1 connector per length.
FBZ20100	FormBoss™ 2.0mm x 100mm ZAM® ~ rounded top edge 6.5mm Ø (x2 screws)
FBZ20150	FormBoss™ 2.0mm x 150mm ZAM® ~ rounded top edge 6.5mm Ø (x2 screws)
FBZ20185	FormBoss™ 2.0mm x 185mm ZAM® ~ rounded top edge 6.5mm Ø (x2 screws)
FBZ20230	FormBoss™ 2.0mm x 230mm ZAM® ~ rounded top edge 6.5mm Ø (x4 screws)
FBZ20290	FormBoss™ 2.0mm x 290mm ZAM® ~ rounded top edge 6.5mm Ø (x4 screws)
FBZ20390	FormBoss™ 2.0mm x 390mm ZAM® ~ rounded top edge 6.5mm Ø (x4 screws)
FBZ20580	FormBoss™ 2.0mm x 580mm ZAM® ~ rounded top edge 6.5mm Ø (x4 screws)
<b>Item Code</b>	<b>2.5mm gauge to suit heavy duty applications.</b> Supplied with Galv tek screws & 1 connector per length.
FBZ25100	FormBoss™ 2.5mm x 100mm ZAM® ~ rounded top edge 7.5mm Ø (x2 screws)
FBZ25150	FormBoss™ 2.5mm x 150mm ZAM® ~ rounded top edge 7.5mm Ø (x2 screws)
<b>Item Code</b>	<b>2.5mm gauge ZAM® stakes. (recommended x 3 stakes per 2.44m length)</b> Use with standard installations. (for 75-185mm edging profiles) inc. Galv tek screws.
FBSZ25240	FormBoss™ 2.5mm x 240mm long x 72mm wide tapered stakes ZAM® (x1 screw)
FBSZ25300	FormBoss™ 2.5mm x 300mm long x 72mm wide tapered stakes ZAM® (x1 screw)
FBSZ25400	FormBoss™ 2.5mm x 400mm long x 72mm wide tapered stakes ZAM® (x1 screw)
<b>Item Code</b>	<b>3.0mm gauge angled ZAM® stakes. (recommended x 3 stakes per 2.44m length)</b> Superior strength and retaining. (for 230-580mm edging profiles) inc. Galv tek screws.
FBASZ30400	FormBoss™ 3.0mm x 400mm long x 50mm x 30mm angled stakes ZAM® (x2 screws)
FBASZ30600	FormBoss™ 3.0mm x 600mm long x 50mm x 30mm angled stakes ZAM® (x2 screws)
FBASZ30800	FormBoss™ 3.0mm x 800mm long x 50mm x 30mm angled stakes ZAM® (x2 screws)
FBASZ301200	FormBoss™ 3.0mm x 1200mm long x 50mm x 30mm angled stakes ZAM® (x2 screws)



For more information on our landscape edging systems, please refer to the website.

[www.formboss.com.au](http://www.formboss.com.au)





# FormBoss™

## STEEL GARDEN EDGING

**REDCOR® steel FormBoss™ Edging Systems: A natural look that is incredibly durable!**

**Description:** Australian made REDCOR® steel replaces imported "Corten" steel and is fast becoming a designer's best friend. Despite its natural rusty look, REDCOR® steel offers great durability.

**Appearance:** At first, REDCOR® steel appears light grey once the oils break down, over time you'll get an even rusted coating (avg: 1-3 months)

**Expected Lifespan:** 15-40 years. Lifespan is highly dependent on external conditions, including drainage, application and existing soil conditions.

**Structural Guarantee:** 10 years. It is highly recommended that you seal the inside of any profiles above 150mm with Penetrol for best durability.

**Steel Origin:** BlueScope Steel, Australia.

**Manufactured In:** Melbourne.

**Benefits:** Incredibly popular in our taller profiles rolled into circular drums to form herb and veggie gardens. Offering an earthy, natural appearance.



### REDCOR® steel edging

REDCOR® steel Applications	
<b>Item Code</b>	<b>1.6mm gauge REDCOR® steel. For that rusty look with long life.</b> Supplied with Galv tek screws & 1 connector per length
FBRC16075	FormBoss™ 1.6mm x 75mm REDCOR® steel ~ steelrounded top edge 5.5mm Ø (x2 screws)
FBRC16100	FormBoss™ 1.6mm x 100mm REDCOR® steel ~ rounded top edge 5.5mm Ø (x2 screws)
FBRC16150	FormBoss™ 1.6mm x 150mm REDCOR® steel ~ rounded top edge 5.5mm Ø (x2 screws)
FBRC16185	FormBoss™ 1.6mm x 185mm REDCOR® steel ~ rounded top edge 5.5mm Ø (x4 screws)
<b>Item Code</b>	<b>2.0mm gauge REDCOR® steel. For that rusty look with long life.</b> Supplied with Galv tek screws & 1 connector per length
FBRC20100	FormBoss™ 2.0mm x 100mm REDCOR® steel ~ rounded top edge 7.0mm Ø (x2 screws)
FBRC20150	FormBoss™ 2.0mm x 150mm REDCOR® steel ~ rounded top edge 7.0mm Ø (x2 screws)
FBRC20185	FormBoss™ 2.0mm x 185mm REDCOR® steel ~ rounded top edge 7.0mm Ø (x4 screws)
<b>Item Code</b>	<b>2.0mm gauge REDCOR® steel. For that rusty look with long life.</b> Supplied with Galv tek screws & 1 connector per length
FBRC20230	FormBoss™ 2.0mm x 230mm REDCOR® steel ~ rounded top edge 7.0mm Ø (x4 screws)
FBRC20290	FormBoss™ 2.0mm x 290mm REDCOR® steel ~ rounded top edge 7.0mm Ø (x4 screws)
FBRC20390	FormBoss™ 2.0mm x 390mm REDCOR® steel ~ rounded top edge 7.0mm Ø (x4 screws)
FBRC20580	FormBoss™ 2.0mm x 580mm REDCOR® steel ~ rounded top edge 7.0mm Ø (x4 screws)
<b>Item Code</b>	<b>2.5mm gauge REDCOR® steel stakes. Recommended x 3 stakes per 2.44m length.</b> Use with standard installations (for 75-185mm edging profiles) inc. Galv tek screws
FBSRC25240	FormBoss™ 2.5mm x 240mm long x 72mm wide tapered stakes REDCOR® steel (x1 screw)
FBSRC25300	FormBoss™ 2.5mm x 300mm long x 72mm wide tapered stakes REDCOR® steel (x1 screw)
FBSRC25400	FormBoss™ 2.5mm x 400mm long x 72mm wide tapered stakes REDCOR® steel (x1 screw)
<b>Item Code</b>	<b>3.0mm gauge angled REDCOR® steel stakes. Recommended x 3 stakes per 2.44m length.</b> Superior strength and retaining. (for 230-580mm edging profiles) inc. Galv tek screws
FBASRC30400	FormBoss™ 3.0mm x 400mm long x 50mm x 30mm angled stakes REDCOR® steel (x2 screws)
FBASRC30600	FormBoss™ 3.0mm x 600mm long x 50mm x 30mm angled stakes REDCOR® steel (x2 screws)
FBASRC30800	FormBoss™ 3.0mm x 800mm long x 50mm x 30mm angled stakes REDCOR® steel (x2 screws)
FBASRC301200	FormBoss™ 3.0mm x 1200mm long x 50mm x 30mm angled stakes REDCOR® steel (x2 screws)




For more information on our landscape edging systems, please refer to the website.

[www.formboss.com.au](http://www.formboss.com.au)







*Custom shaped steel edging*



# FormBoss™

## STEEL GARDEN EDGING

### Custom Tree Rings, Corner Pieces & Angle Brackets

**Rings:** One 2.44m length provides a 777mm diameter circle. Two lengths provides a 1554mm circle (custom diameters also available).

We attach one side of your connector, so all you need to do is loop the ring around your feature and insert two self tapping screws. Custom order fully enclosed rings also supplied.

**Angles:** Profiles 185mm and lower are easy to form angles on site. We provide corner pieces for larger more difficult to bend profiles.

**Custom Fabrication:** We can produce intricate shapes for you in our factory. If there are multiple tight curves and acute angles it may be easier for us to produce them for you. You will also end up with a job that meets specifications exactly.

**Manufactured In:** Melbourne.

	<b>FormBoss™ Custom Production</b> (Extra lead time applies 3-5 days) Specify material, <b>GALV</b> , <b>ZAM®</b> and <b>REDCOR®</b> steel are all the same price. All orders to be prepaid.
<b>Item Code</b>	<b>Rolling of a single ≤ 2.44m length into a ring or arc on lengths already purchased.</b> Supplied with Galv tek screws & 1 curved connector.
ROLL75-185	Length of FormBoss™ rolled to a given diameter, Profiles 75mm-185mm (x2 screws)
ROLL230-390	Length of FormBoss™ rolled to a given diameter, Profiles 230mm-390mm (x4 screws)
ROLL580	Length of FormBoss™ rolled to a given diameter, Profiles 580mm (x4 screws)
<b>Item Code</b>	<b>Custom right angle bends on lengths already purchased.</b> Specify both dimensions and which side the lip is on.
BEND230	FormBoss™ custom angle bend, 230mm profile
BEND290	FormBoss™ custom angle bend, 290mm profile
BEND390	FormBoss™ custom angle bend, 390mm profile
BEND580	FormBoss™ custom angle bend, 580mm profile
<b>Item Code</b>	<b>Corner Pieces for 230mm and higher profiles.</b> Supplied with Galv tek screws & 1 connector.
CORNER230	FormBoss™ corner piece 230mm profile 90 degrees 300mm x 300mm (x4 screws)
CORNER290	FormBoss™ corner piece 290mm profile 90 degrees 300mm x 300mm (x4 screws)
CORNER390	FormBoss™ corner piece 390mm profile 90 degrees 300mm x 300mm (x4 screws)
CORNER580	FormBoss™ corner piece 580mm profile 90 degrees 300mm x 300mm (x4 screws)
<b>Item Code</b>	<b>'L' shaped angle brackets, for rooftops and fixing to solid surfaces.</b> Available in other heights on request. Galv tek screws.
AB100	Angled brackets 100mm high 100mm foot x 80mm wide x 2.5mm gauge (x1 screw)
AB200	Angled brackets 200mm high 100mm foot x 80mm wide x 2.5mm gauge (x1 screw)

	<b>FormBoss™ Accessories</b>
<b>Item Code</b>	<b>Installation tools, to make installation easy!</b>
RS	Rubber Forming strip 3mm x 20mm Neoprene, make tight curves a breeze
TH	Tek screw drill bits 8mm used to drive the tek screws in like a pro
VG	Wide brimmed vise grip
RM	Rubber Mallet 1.2kg with red fibreglass handle
IK	Installation Kit (Rubber forming strip, Tek Bit, Vise Grip and Rubber Mallet)

A rubber mallet is crucial, as metal hammers will damage the edging. We highly recommend our Rubber Forming Strip when creating tight curves on site, it fits underneath the safety lip to allow you to curve the edging more aggressively. A wide brimmed vise grip will ensure all of your connections are virtually seamless. You will definitely need a drill and a 8mm hex bit.



*For more information on our landscape edging systems, please refer to the website.*

**www.formboss.com.au**

Prices published 1st September 2017

FormBoss™ Steel Garden Edging System is manufactured by Greenlines Gardenware® Pty Ltd. Melbourne.





# FormBoss™

## STEEL GARDEN EDGING

### Preformed Tree Rings and Raised Gardens

**Description: FormBoss™ Preformed Rings:** in 75mm, 100mm, 150mm, 185mm, 230mm, 290mm, 390mm, 580mm and 850mm profile heights and a choice of three diameters; 777mm, 1165mm and 1554mm.

**Expected Lifespan:** 10-40 years. Dependent on external conditions, including drainage, application and existing soil conditions. See our specification sheet for optimal drainage details.

**Structural Guarantee:** 10 years. It is highly recommended that you seal the inside of any profiles above 150mm with Penetrol for best durability.

**Manufactured In:** Melbourne.

**Benefits:** Easily add an instant garden feature that is both highly practical and very elegant!. Save time and money in garden maintenance with easier weed control and more efficient watering.

*Preformed Rings  
in standard  
heights and  
diameters*

Item Code	FormBoss™ Stock Rings pre rolled from REDCOR® steel in profiles from 75mm-850mm and in diameters of 777mm ø, 1165mm ø and 1554mm ø. Screws and connectors inc.
RFBRC0751L	FormBoss REDCOR® steel Ring 75mm profile, 777mm diameter.
RFBRC07515L	FormBoss REDCOR® steel Ring 75mm profile, 1165mm diameter.
RFBRC0752L	FormBoss REDCOR® steel Ring 75mm profile, 1554mm diameter.
RFBRC1001L	FormBoss REDCOR® steel Ring 100mm profile, 777mm diameter.
RFBRC10015L	FormBoss REDCOR® steel Ring 100mm profile, 1165mm diameter.
RFBRC1002L	FormBoss REDCOR® steel Ring 100mm profile, 1554mm diameter.
RFBRC1501L	FormBoss REDCOR® steel Ring 150mm profile, 777mm diameter.
RFBRC15015L	FormBoss REDCOR® steel Ring 150mm profile, 1165mm diameter.
RFBRC1502L	FormBoss REDCOR® steel Ring 150mm profile, 1554mm diameter.
RFBRC1851L	FormBoss REDCOR® steel Ring 185mm profile, 777mm diameter.
RFBRC18515L	FormBoss REDCOR® steel Ring 185mm profile, 1165mm diameter.
RFBRC1852L	FormBoss REDCOR® steel Ring 185mm profile, 1554mm diameter.
RFBRC2301L	FormBoss REDCOR® steel Ring 230mm profile, 777mm diameter.
RFBRC23015L	FormBoss REDCOR® steel Ring 230mm profile, 1165mm diameter.
RFBRC2302L	FormBoss REDCOR® steel Ring 230mm profile, 1554mm diameter.
RFBRC2901L	FormBoss REDCOR® steel Ring 290mm profile, 777mm diameter.
RFBRC29015L	FormBoss REDCOR® steel Ring 290mm profile, 1165mm diameter.
RFBRC2902L	FormBoss REDCOR® steel Ring 290mm profile, 1554mm diameter.
RFBRC3901L	FormBoss REDCOR® steel Ring 390mm profile, 777mm diameter.
RFBRC39015L	FormBoss REDCOR® steel Ring 390mm profile, 1165mm diameter.
RFBRC3902L	FormBoss REDCOR® steel Ring 390mm profile, 1554mm diameter.
RFBRC5801L	FormBoss REDCOR® steel Ring 580mm profile, 777mm diameter.
RFBRC58015L	FormBoss REDCOR® steel Ring 580mm profile, 1165mm diameter.
RFBRC5802L	FormBoss REDCOR® steel Ring 580mm profile, 1554mm diameter.
RFBRC8501L	FormBoss REDCOR® steel Ring 850mm profile, 777mm diameter.
RFBRC85015L	FormBoss REDCOR® steel Ring 850mm profile, 1165mm diameter.



For more information on our landscape edging systems, please refer to the website.

[www.formboss.com.au](http://www.formboss.com.au)



Item Code	<b>FormBoss™ Stock Rings</b> pre rolled from <b>GALVANISED</b> steel in profiles from 75mm-580mm and in diameters of 777mm ø, 1165mm ø and 1554mm ø. All screws and connectors inc.
RFBG0751L	FormBoss Galvanised Ring 75mm profile, 777mm diameter.
RFBG07515L	FormBoss Galvanised Ring 75mm profile, 1165mm diameter.
RFBG0752L	FormBoss Galvanised Ring 75mm profile, 1554mm diameter.
RFBG1001L	FormBoss Galvanised Ring 100mm profile, 777mm diameter.
RFBG10015L	FormBoss Galvanised Ring 100mm profile, 1165mm diameter.
RFBG1002L	FormBoss Galvanised Ring 100mm profile, 1554mm diameter.
RFBG1501L	FormBoss Galvanised Ring 150mm profile, 777mm diameter.
RFBG15015L	FormBoss Galvanised Ring 150mm profile, 1165mm diameter.
RFBG1502L	FormBoss Galvanised Ring 150mm profile, 1554mm diameter.
RFBG1851L	FormBoss Galvanised Ring 185mm profile, 777mm diameter.
RFBG18515L	FormBoss Galvanised Ring 185mm profile, 1165mm diameter.
RFBG1852L	FormBoss Galvanised Ring 185mm profile, 1554mm diameter.
RFBG2301L	FormBoss Galvanised Ring 230mm profile, 777mm diameter.
RFBG23015L	FormBoss Galvanised Ring 230mm profile, 1165mm diameter.
RFBG2302L	FormBoss Galvanised Ring 230mm profile, 1554mm diameter.
RFBG2901L	FormBoss Galvanised Ring 290mm profile, 777mm diameter.
RFBG29015L	FormBoss Galvanised Ring 290mm profile, 1165mm diameter.
RFBG2902L	FormBoss Galvanised Ring 290mm profile, 1554mm diameter.
RFBG3901L	FormBoss Galvanised Ring 390mm profile, 777mm diameter.
RFBG39015L	FormBoss Galvanised Ring 390mm profile, 1165mm diameter.
RFBG3902L	FormBoss Galvanised Ring 390mm profile, 1554mm diameter.
RFBG5801L	FormBoss Galvanised Ring 580mm profile, 777mm diameter.
RFBG58015L	FormBoss Galvanised Ring 580mm profile, 1165mm diameter.
RFBG5802L	FormBoss Galvanised Ring 580mm profile, 1554mm diameter.
Item Code	<b>FormBoss™ Stock Rings</b> pre rolled from <b>ZAM</b> steel in profiles from 75mm-580mm and in diameters of 777mm ø, 1165mm ø and 1554mm ø. All screws and connectors inc.
RFBZ1001L	FormBoss ZAM Ring 100mm profile, 777mm diameter.
RFBZ10015L	FormBoss ZAM Ring 100mm profile, 1165mm diameter.
RFBZ1002L	FormBoss ZAM Ring 100mm profile, 1554mm diameter.
RFBZ1501L	FormBoss ZAM Ring 150mm profile, 777mm diameter.
RFBZ15015L	FormBoss ZAM Ring 150mm profile, 1165mm diameter.
RFBZ1502L	FormBoss ZAM Ring 150mm profile, 1554mm diameter.
RFBZ1851L	FormBoss ZAM Ring 185mm profile, 777mm diameter.
RFBZ18515L	FormBoss ZAM Ring 185mm profile, 1165mm diameter.
RFBZ1852L	FormBoss ZAM Ring 185mm profile, 1554mm diameter.
RFBZ2301L	FormBoss ZAM Ring 230mm profile, 777mm diameter.
RFBZ23015L	FormBoss ZAM Ring 230mm profile, 1165mm diameter.
RFBZ2302L	FormBoss ZAM Ring 230mm profile, 1554mm diameter.
RFBZ2901L	FormBoss ZAM Ring 290mm profile, 777mm diameter.
RFBZ29015L	FormBoss ZAM Ring 290mm profile, 1165mm diameter.
RFBZ2902L	FormBoss ZAM Ring 290mm profile, 1554mm diameter.
RFBZ3901L	FormBoss ZAM Ring 390mm profile, 777mm diameter.
RFBZ39015L	FormBoss ZAM Ring 390mm profile, 1165mm diameter.
RFBZ3902L	FormBoss ZAM Ring 390mm profile, 1554mm diameter.
RFBZ5801L	FormBoss ZAM Ring 580mm profile, 777mm diameter.
RFBZ58015L	FormBoss ZAM Ring 580mm profile, 1165mm diameter.
RFBZ5802L	FormBoss ZAM Ring 580mm profile, 1554mm diameter.



*For more information on our landscape edging systems, please refer to the website.*

**www.formboss.com.au**

